Size	Resolution	Reference Code	Technology	Mode	Dimensions	Backlight	Features
3.5"	240 x 320	**HE-001**	TFT	Transmissive	64 x 86 x 7.6	LED	3.5" QVGA TN, CMOS
3.5"	240 x 320	**HE-002**	TFT	Transmissive	64 x 86 x 6.7	LED	3.5" QVGA TN, CMOS
3.5"	240 x 320	**HE-003**	TFT	Transmissive	64 x 86 x 7.6	LED	TMR, Timing controller built in, On board voltage generation, 40KHr LED B/L, Touchscreen
3.5"	240 x 320	**HE-004**	TFT	Transmissive	64 x 86 x 6.7	LED	TMR, Timing controller built in, On board voltage generation, 40KHr LED B/L
3.5"	240 x 320	**HE-005**	TFT	Transmissive	64 x 86 x 4	LED	Touchscreen
3.5"	240 x 320	**HE-006**	TFT	Transmissive	64 x 86 x 3.12	LED	--
4.3"	480 x 272	**HE-007**	TFT-IPS	Transmissive	104.4x66.1x5.9	50 Khr, LED	4.3" WQVGA Rugged+
4.3"	480 x 272	**HE-008**	TFT	Transmissive	105.5 x 67.2 x 2.9	LED	4.3" WQVGA TN
5"	640 x 480	**HE-009**	TFT	Transmissive	119.4 x 89.1 x 9.3	70Khrs LED	VGA, WTR, Super WVA
5"	640 x 480	**HE-010**	TFT	Transmissive	119.4 x 89.1 x 9.3	70Khrs LED	VGA, LVDS, WTR, Super WVA
5.7"	640 x 480	**HE-011**	TFT-IPS	Transmissive	131 x 102.2 x 7.6	LED	5.7" VGA
5.7"	640 x 480	**HE-012**	TFT-IPS	Transmissive	131 x 102.2 x 9.1	LED	5.7" VGA, with touchscreen
5.7"	640 x 480	**HE-013**	TFT-IPS	Transmissive	131 x 102.2 x 7.6	LED	5.7" VGA, LVDS
5.7"	640 x 480	**HE-014**	TFT-IPS	Transmissive	131 x 102.2 x 9.1	LED	5.7" VGA, with touchscreen, LVDS I/F
5.7"	320 x 240	**HE-015**	TFT	Transmissive	167 x 109 x 9.2	50Khrs LED	Classic outline (SP/SX14Q compatible), WTR
5.7"	320 x 240	**HE-016**	TFT	Transmissive	167 x 109 x 10.7	50 Khrs LED	Classic outline (SP/SX14Q compatible), WTR, Touchscreen
5.7"	320 x 240	**HE-017**	TFT	Transmissive	131 x 102.2 x 10.9	50 Khrs LED	Compact, WTR
5.7"	320 x 240	**HE-018**	TFT	Transmissive	131 x 102.2 x 12.4	50 Khrs LED	Compact, WTR, Touchscreen
5.7"	320 x 240	**HE-019**	TFT	Transmissive	131 x 102.2 x 7.1	40Khrs LED	5.7” QVGA, 800 nits, slim design
5.7"	320 x 240	**HE-020**	TFT	Transmissive	131 x 102.2 x 8.6	40Khrs LED	5.7” QVGA, 800 nits, slim design, Touchscreen
6.2"	640 x 240	**HE-021**	TFT	Transmissive	173 x 70 x 7	40Khrs LED	6.2" HVGA, super WVA
6.2"	640 x 240	**HE-022**	TFT	Transmissive	173 x 70 x 8.6	40Khrs LED	6.2" HVGA, super WVA, 5-wire touch screen
6.2"	640 x 240	**HE-023**	TFT	Transmissive	173 x 70 x 8.6	40Khrs LED	6.2
6.2"	640 x 240	**HE-024**	TFT	Transmissive	173 x 70 x 7	40Khrs LED	6.2" HVGA
6.2"	640 x 240	**HE-025**	TFT	Transmissive	173 x 70 x 8.6	40Khrs LED	6.2"HVGA, with Touch Panel
6.4"	1024 x 768	**HE-026**	TFT-IPS	Transmissive	153 x 118 x 8.7	70Khrs LED	6.4" IPS, LVDS interfacem, LTPS
6.5"	640 x 480	**HE-027**	TFT	Transmissive	153 x 118 x 9.1	70Khr LED	Compact, VGA
6.5"	640 x 480	**HE-028**	TFT	Transmissive	153 x 118 x 9.1	70Khrs LED	Ultra high brightness
6.5"	640 x 480	**HE-029**	TFT	Transmissive	153 x 118 x 10.2	70Khr LED	Compact, VGA, Touchscreen
6.5"	640 x 480	**HE-030**	TFT	Transmissive	153 x 118 x 10.2	70Khr LED	Ultra High brightness, Compact, VGA, Touchscreen
6.5"	640 x 480	**HE-031**	TFT	Transmissive	153 x 118 x 9.1	70Khr LED	Ultra High brightness, Compact, VGA, Super WVA
6.5"	640 x 480	**HE-032**	TFT	Transmissive	153 x 118 x 10.2	70Khrs LED	Ultra High brightness, Compact, VGA, Super WVA, Touch Screen

6.5"	640 x 480	**HE-033**	TFT	Transmissive	153 x 118 x 10.2	70Khr LED	Compact, VGA, LVDS interface, Touchscreen
7.0"	1920 x 1080	**HE-034**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX18D200VM0EAA	Display interface board for TX18D200VM0EAA
7.0"	1920 x 1080	**HE-035**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX18D204VM0BAA	Display interface board for TX18D204VM0BAA
7.0"	800 x 480	**HE-036**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX18D211VM0BAA	Display interface board for TX18D211VM0BAA
7.0"	1280 x 768	**HE-037**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX18D212VM0BAA	Display interface board for TX18D212VM0BAA
7.0"	1920 x 1080	**HE-038**	TFT-IPS	Transmissive	169 x 104 x 10	70 Khrs LED	Full HD, LVDS, LTPS
7.0"	1920 x 1080	**HE-039**	TFT-IPS	Transmissive	178.76 x 115.0 x 11.75	70Khrs LED	7.0" FHD, Touchscreen, LTPS
7.0"	1920 x 1080	**HE-040**	TFT-IPS	Transmissive	169.0 x 103.0 x 7.2	40Khrs LED	7.0" FHD, LTPS
7.0"	1920 x 1080	**HE-041**	TFT-IPS	Transmissive	178.8 x 115.0 x 5.5	40Khrs LED	7.0"" FHD, USB I/F Pcap T/P, LTPS
7.0"	800 x 480	**HE-042**	TFT-IPS	Transmissive	167.7 x 109.5 x 9.0	70 Khrs LED	7"" WVGA, Rugged+, SHB, LTPS
7.0"	800 x 480	**HE-043**	TFT-IPS	Transmissive	167.7 x 109.5 x 9.0	70Khrs LED	7" WVGA, Rugged+, SHB, LVDS interface, LTPS
7.0"	800 x 480	**HE-044**	TFT-IPS	Transmissive	167.7 x 109.5 x 10.6	70Khrs LED	7" WVGA, Rugged+, SHB, LVDS interface, Touchscreen, LTPS
7.0"	800 x 480	**HE-045**	TFT-IPS	Transmissive	167.7 x 109.5 x 9.0	50Khrs LED	7" WVGA, Rugged+, LTPS, CMOS
7.0"	800 x 480	**HE-046**	TFT-IPS	Transmissive	167.7 x 109.5 x 10.6	50Khrs LED	7" WVGA, Rugged+, 4-wires RTP AG surface, LTPS, CMOS
7.0"	800 x 480	**HE-047**	TFT-IPS	Transmissive	170.0 x 113.3 x 10.7	50Khrs LED	7" WVGA, Rugged+, PCAP TP I2C I/F, LTPS, CMOS
7.0"	800 x 480	**HE-048**	TFT-IPS	Transmissive	170.0 x 113.3 x 10.7	50Khrs LED	7" WVGA, Rugged+, PCAP TP USB I/F, LTPS, CMOS
7.0"	800 x 480	**HE-049**	TFT-IPS	Transmissive	167.7 x 109.5 x 9.0	50Khrs LED	7" WVGA, Rugged+, LTPS, LVDS interface
7.0"	800 x 480	**HE-050**	TFT-IPS	Transmissive	167.7 x 109.5 x 10.6	50Khrs LED	7" WVGA, Rugged+, 4-wires RTP AG surface, LTPS
7.0"	800 x 480	**HE-051**	TFT-IPS	Transmissive	170.0 x 113.3 x 10.7	50Khrs LED	7" WVGA, Rugged+, PCAP TP I2C I/F, LTPS
7.0"	800 x 480	**HE-052**	TFT-IPS	Transmissive	167.7 x 109.5 x 10.7	50Khrs LED	7.0"" WVGA, Touchscreen USB I/F, LTPS
7.0"	1280 x 768	**HE-053**	TFT-IPS	Transmissive	164.4 x 105.0 x 13.5	50Khrs LED	7" WXGA, Rugged+, LTPS
7.0"	800 x 480	**HE-054**	TFT-IPS	Transmissive	167.7 x 109.5 x 12.2	100Khrs LED	7.0"" WVGA Rugged+, 8-bit, LTPS
7.0"	800 x 480	**HE-055**	TFT-IPS	Transmissive	167.7 x 109.5 x 12.2	100Khrs LED	7.0"" WVGA Rugged+, 8-bit, w/o LED driver, LTPS
8.0"	1280 x 800	**HE-056**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX20D207VM0AAA	Display interface board for TX20D207VM0AAA
8.0"	800 x 480	**HE-057**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX20D208VM0BAA	Display interface board for TX20D208VM0BAA
8.0"	800 x 480	**HE-058**	TFT	Transmissive	200.0 x 124.0 x 13.08	70Khrs LED	8" WVGA, LVDS I/F, Pcap I2C I/F
8.0"	800 x 480	**HE-059**	TFT	Transmissive	189 x 122 x 10.2	70Khrs LED	Compact, Super WVA
8.0"	1280 x 768	**HE-060**	TFT-IPS	Transmissive	189.5 x 119.4 x 11.6	70Khrs LED	8" WXGA, LTPS, Rugged+
8.0"	1280 x 768	**HE-061**	TFT-IPS	Transmissive	189.5 x 119.4 x 14.25	70Khrs LED	8" WXGA, LTPS, Rugged+, Pcap T/P with I2C I/F
8.0"	800 x 480	**HE-062**	TFT-IPS	Transmissive	190.8 x 120.5 x 15.7	100Khrs LED	8" WVGA Rugged+, 1200nits

8.0"	800 x 480	**HE-063**	TFT-IPS	Transmissive	190.8 x 120.5 x 15.7	100Khrs LED	8" WVGA Rugged+, 1200nits, w/o LED driver
9.0"	800 x 480	**HE-064**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX23D202VM0BAA	Display interface board for TX23D202VM0BAA
9.0"	800 x 480	**HE-065**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX23D203VM0BAA	Display interface board for TX23D203VM0BAA
9.0"	800 x 480	**HE-066**	TFT-IPS	Transmissive	218.0 x 135.0 x 11.15	70Khrs LED	9" WVGA, Rugged+, LVDS I/F
9.0"	800 x 480	**HE-067**	TFT-IPS	Transmissive	218.0 x 135.0 x 11.15	70Khrs LED	9" WVGA, Rugged+, LVDS I/F
10.1"	1280 x 800	**HE-068**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX26D207VM0AAA	Display interface board for TX26D207VM0AAA
10.1"	1920 x 1200	**HE-069**	TFT-IPS	Transmissive	232.1 x 153.2 x 4.7	40Khrs LED	10.1" WUXGA
10.1"	1920 x 1200	**HE-070**	TFT-IPS	Transmissive	265.0 x 180.0 x 9.54	40Khrs LED	10.1" WUXGA, PCAP TP USB I/F
10.1"	1280 x 800	**HE-071**	TFT-IPS	Transmissive	231 x 153.5 x 11.07	70Khrs LED	10.1" WXGA, Rugged+
10.1"	1280 x 800	**HE-072**	TFT-IPS	Transmissive	265.0 x 180.0 x 13.42	70Khrs LED	10.1" WXGA, Rugged+, PCAP TP USB I/F
10.2"	1920 x 1080	**HE-073**	TFT-IPS	Transmissive	241.9 x 147.8 x 12.6	70Khrs LED	10.2" FHD, LTPS
10.3"	1920 x 720	**HE-074**	TFT-IPS	Transmissive	259 x 111.4 x 14.2	70Khrs LED	10.3" HD, Rugged+, Super High Brightness, LTPS
10.4"	800 x 600	**HE-075**	TFT-IPS	Transmissive	230.0 x 180.2 x 10.1	LED	10.4" SVGA, 0Bright Dot
10.4"	1024 x 768	**HE-076**	TFT-IPS	Transmissive	230 x 180.2 x 9.5	100Khrs LED	10.4" XGA
10.4"	1024 x 768	**HE-077**	TFT-IPS	Transmissive	230 x 180.2 x 9.5	100Khrs LED	10.4" XGA, w/o LED driver
10.6"	1280 x 768	**HE-078**	TFT-IPS	Transmissive	250 x 157 x 8.9	100Khrs LED	10.6" WXGA, Rugged+, LVDS I/F, w/o LED driver, LTPS
10.6"	1280 x 768	**HE-079**	TFT-IPS	Transmissive	250 x 157 x 8.9	100Khrs LED	10.6" WXGA, Rugged+, LVDS I/F, LTPS
10.6"	1280 x 768	**HE-080**	TFT-IPS	Transmissive	250 x 157 x 14.4	100Khrs LED	10.6" WXGA, Rugged+, LVDS I/F, USB Pcap, LTPS
10.6"	1280 x 768	**HE-081**	TFT-IPS	Transmissive	250 x 157 x 8.9	100Khrs LED	10.6" WXGA, Rugged+, LVDS I/F, w/o LED driver, LTPS
10.6"	1280 x 768	**HE-082**	TFT-IPS	Transmissive	250 x 157 x 8.9	100Khrs LED	10.6" WXGA, Rugged+, LVDS I/F, circular polarizer, LTPS
11.6"	1920 x 1080	**HE-083**	TFT-IPS	Transmissive	275 x 163.8 x 12.1	70Khrs LED	11.6" IPS, LVDS interface, with pillars and positioning pin, LTPS
11.6"	1920 x 1080	**HE-084**	TFT-IPS	Transmissive	275 x 163.8 x 11.6	70Khrs LED	11.6" IPS, LVDS interface, without pillars and positioning pin, LTPS
12.1"	1280 x 800	**HE-085**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX31D208VM0BAA	Display interface board for TX31D208VM0BAA
12.1"	1024 x 768	**HE-086**	TFT-IPS	Transmissive	260.5 x 203.0 x 9.5	100Khrs LED	12.1" XGA, LVDS I/F, w/o LED driver
12.1"	1024 x 768	**HE-087**	TFT-IPS	Transmissive	260.5 x 203.0 x 9.5	100Khrs LED	12.1" XGA, LVDS I/F, w/ LED driver
12.1"	1280 x 800	**HE-088**	TFT-IPS	Transmissive	283 x 185.1 x 9.7	100Khrs LED	12.1" WXGA, LVDS I/F
12.1"	1280 x 800	**HE-089**	TFT-IPS	Transmissive	283 x 185.1 x 9.7	100Khrs LED	12.1" WXGA, LVDS I/F, w/o LED driver
12.1"	1280 x 800	**HE-090**	TFT-IPS	Transmissive	303(W) x 205.1(H) x 14.5(D)	100Khrs LED	12.1" WXGA, LVDS I/F, I2C Pcap
12.1"	1280 x 800	**HE-091**	TFT-IPS	Transmissive	303.0x205.1x14.5	100Khrs LED	12.1" WXGA, LVDS I/F, USB Pcap
12.3"	1280 x 480	**HE-092**	Display interface board	N/A	55 x 90 x 14.5	Refer to TX31D200VM0BAA	Display interface board for TX31D200VM0BAA

12.3"	1280 x 480	**HE-093**	TFT-IPS	Transmissive	320 x 130 x 12.1	70Khrs LED	12.3" HSXGA, Rugged+, Super High Brightness
12.3"	1280 x 480	**HE-094**	TFT-IPS	Transmissive	341.0 x 146.0 x 14.35	70Khrs LED	12.3" HSXGA, PCAP TP I2C I/F
15"	1920 x 720	**HE-095**	TFT-IPS	Transmissive	374.5 x 154.5 x 18.15	100Khrs LED	15" HD, Rugged+, LTPS
15"	1920 x 720	**HE-096**	TFT-IPS	Transmissive	374.5 x 154.5 x 18.15	100Khrs LED	15" HD, Rugged+, LTPS
15.6"	1920 x 1080	**HE-097**	TFT-IPS	Transmissive	361.86 x 219.51 x 14.71	70Khrs LED, with LED driver	15.6" IPS, LVDS interface
15.6"	1920 x 1080	**HE-098**	TFT-IPS	Transmissive	361.86 x 219.51 x 14.71	70Khrs LED, without LED driver	15.6" IPS, LVDS interface
15.8"	2560 x 600	**HE-099**	TFT-IPS	Transmissive	409.8 x 109.5 x 14.3	50Khrs LED	15.8" IPS, LVDS interface
21.5"	1920 x 1080	**HE-100**	TFT-IPS	Transmissive	495.6 x 292.2 x 24.05	50 Khrs LED	21.5" FHD